


A new twist on an old favorite!

We have taken what was good and made it great! Our all-new laminated construction provides more structural strength while decreasing weight. Our new design makes water intrusion nearly impossible while our construction materials prevent interior moisture problems to create your worry free travels and adventures!




UP COUNTRY *by*


TLRV




365-XS			
Dry Weight	1130	Ext Height (with A/C)	74-1/2"
Ext Length	123"	Int Height	74"
Ext Width (w/wo jacks)	88"/78"	COG (From Front)	28"
Int Floor Length	72"	Cabover Bed	48 x 75
Int Floor Width	37"	Fresh Water	13 ga




775U			
Dry Weight	1722	Ext Height (with A/C)	100"
Ext Length	181"	Int Height	6'8"
Ext Width (w/wo jacks)	98"/78"	COG (From Front)	31"
Int Floor Length	89"	Cabover Bed	80 x 98
Int Floor Width	44"	Fresh Water	13 ga




550-XS			
Dry Weight	1150	Ext Height (with A/C)	78"
Ext Length	127"	Int Height	74"
Ext Width (w/wo jacks)	88"/78"	COG (From Front)	35-3/8"
Int Floor Length	72"	Cabover Bed	48 x 75
Int Floor Width	37"	Fresh Water	13 ga



850U			
Dry Weight	2304	Ext Height (with A/C)	103"
Ext Length	193"	Int Height	78"
Ext Width (w/wo jacks)	104"/93"	COG (From Front)	36"
Int Floor Length	83"	Cabover Bed	60 x 80
Int Floor Width	43"	Fresh Water	21ga









650U			
Dry Weight	1550	Ext Height (with A/C)	78"
Ext Length	162"	Int Height	74"
Ext Width (w/wo jacks)	98"/78"	COG (From Front)	35-3/8"
Int Floor Length	72"	Cabover Bed	48 x 75
Int Floor Width	37"	Fresh Water	13 ga



900 & 950U			
Dry Weight	2488	Ext Height (with A/C)	100"
Ext Length	210"	Int Height	6'
Ext Width (w/wo jacks)	104"/93"	COG (From Front)	34"
Int Floor Length	91"	Cabover Bed	60 x 80
Int Floor Width	45"	Fresh Water	21ga

Specifications and Floor Plans

	365U-XS	550U-XS	650U	775U	850U	900U	950U
Dry Weight	1130	1150	1576	1722	2304	2320	2488
Fresh Tank	13 ga	13	13 ga	13 ga	21 ga	21 ga	21 ga
Grey Tank	5 ga/ 5 ga	5 ga/ 5 ga	N/A	5 ga/ 5 ga	5 ga/ 5 ga	5 ga/ 5 ga	5 ga/ 5 ga
Ext Length	123"	127"	162"	181"	193"	210"	210"
Ext Width	88" w/o Jacks 78"	88" w/o Jacks 78"	98" w/o Jacks 87"	98" w/o Jacks 87"	104" w/o Jacks 93"	104" w/o Jacks 93"	104" w/o Jacks 93"
Ext Width Front	40"	40"	48"	46"	49"	49"	49"
Ext Width Back	40"	48"	48"	54"	93"	57"	57"
Int Floor Length	72"	65"	55.5"	89"	83"	91"	91"
Ext Height	74-1/2"	78"	100" w-A/C	100" w-A/C	103" w-A/C	100" w-A/C	100" w-A/C
Int Height	74"	74"	6' 8"	6' 8"	78"	W Step 6'-W/O Step 6' 8"	W Step 6'-W/O Step 6' 8"
Int Floor Width	37"	24"	45"	44"	43"	45"	45"
Center of Gravity	28" From Front	35-3/8" From Front	22" From Front	31" From Front	36" From Front	33" From Front	33" From Front
Cabover Bed	48 x 75	48 x 75	60 x 74	80 x 98	60 x 80	60 x 80	60 x 80
Fits Between Wheel Wells	40" or Greater	40" or Greater	46" or Greater	46" or Greater	46" or Greater	46" or Greater	46" or Greater
Rooftop Tent Opening-Int	N/A	N/A	N/A	N/A	N/A	N/A	21-1/4" x 29-1/4"



Truck/Camper Compatibility Guide

Our compatibility/guidelines are general guidelines as all makes and models of trucks have differing equipment/ratings and payload allowances. Travel Lite is offering no warranties or representation, express or implied, as to the performance or reliability of a vehicle once fitted with a Travel Lite truck camper. Always consult with the manufacturer of your vehicle and a certified Travel Lite Dealer.



Compact	
Model	Std Box
UpCountry 365XS	x
UpCountry-550XS	x



F150/1500 Series		
Model	Short Box	Long Box
UpCountry 365XS	x	x
UpCountry-550XS	x	x
UpCountry-650	x	x
UpCountry-775	x	



F250/2500 Series		
Model	Short Box	Long Box
UpCountry 365XS	x	x
UpCountry-550XS	x	x
UpCountry-650	x	x
UpCountry-775	x	
UpCountry-850	x	x
UpCountry-900	x	x
UpCountry-950	x	x



F350/3500 Series			
Model	Short Box	Long Box	Dually
UpCountry 365XS	x	x	x
UpCountry-550XS	x	x	x
UpCountry-650	x	x	x
UpCountry-775	x		
UpCountry-850	x	x	x
UpCountry-900	x	x	x
UpCountry-950	x	x	x

Truck Bed Footprint

